INDEX OF SUBJECTS

PAGE

ACROSOMES of late testis spermatids, aberrations in development of in allergic orchitis in guinea-pigs probably mediated by humoral antibody . . 229

ADJUVANT-induced arthritis in rats, alterations in lysosomal enzyme activity during development of 201

ADRENAL GLAND, haemorrhagic necrosis in perinatal infants 133

ALCOHOLISM, intracellular lipid droplets in muscle biopsies in alcoholic myopathy 1

ALZHEIMER'S DISEASE, association with granulovacuolar degeneration of pyramidal cells of hippocampus . . 165

ANTIGEN-free grafts of foetal mouse small intestine 95

ANTI-INFLAMMATORY DRUGS inhibit increase in splenic and renal DNA and RNA and hepatic DNA occurring in untreated female NZB × NZW mice from 20 wk onwards, prevent development of serum antinuclear factor and greatly reduce proteinuria 127

ANTISTINE reverses increased vascular permeability in organs of guinea-pigs and rabbits produced by intravenous injection of staphylococcus α-toxin . 277

ARTERIES of dura mater, oedema and degeneration of elastic structures in, in women taking oral contraceptives and dying of intracranial venous thrombosis 209

pulmonary, muscular, medial hypertrophy in rats fed on diet containing 5 or 10 per cent. ragwort (*Senecio jacobaea*) 187

ARTHRITIS, adjuvant-induced in rats, increase in activity of lysosomal enzymes in liver, lung and testis in induction phase of parenchymal damage, decrease in activity in later phase . 201

ATROPINE significantly reduces inflammatory changes in mouse brain induced by goldthioglucose . . 57

AUSTRALIA ANTIGEN absent from serum of patient who gave an auto-allergic nucleolytic response when monolayers of her peritoneal cells were treated with her own leucocytes while she was suffering from serum hepatitis 199

BACTERIAEMIA, mild, in some cases of experimental infection of pig intestine with *Clostridium welchii* type C. . 65

PAGE

BACTERIAL SPECIES, *Bordetella pertussis* killed vaccine, granuloma due to composed of highly labile macrophage population with continuous recruitment from bone marrow . . . 37

Clostridium welchii type C, attachment of to intestinal villi of pigs . . 65

Escherichia coli, enteropathogenic, first attachment to bases of ileal villi of pig intestine, spreads cranially . . 65

Mycobacterium leprae, infection of mouse striated muscle by 73

Mycobacterium tuberculosis: BCG vaccine granuloma composed of epithelioid cells without phagocytic apparatus, young macrophages containing intact mycobacteria and mature, possibly long-lived, macrophages containing indigestible bacterial debris . . 37

BIOPSIES of liver in adult Bantu with lobar pneumonia and jaundice, ultrastructure suggests toxic liver injury with marked cholestatic element, precipitated by lobar pneumonia 113

BIPIPERIDYL MUSTARD, cerebral lesions in mice induced by, reduced by treatment with indomethacin or hydrocortisone, not by salicylate or pyrogallol; difference from lesions due to goldthioglucose possibly due to alkylating property of bipiperidyl mustard . 57

early cerebral vascular lesions in mice given 49

BODIES, membranous cytoplasmic, in lung biopsy in Niemann-Pick disease, vacuolations in resolvable to stacks and curves of lamellae characteristic of sphingomyelin lipidosis . . . 119

BRADYCARDIA, foetal, leading to ischaemia probable cause of haemorrhagic necrosis of adrenal in perinatal infants . 133

BRAIN lesion from dissemination of fungus *Allescheria boydii* from primary lesion in lung 195

mouse, vascular lesions in after intraperitoneal bipiperidyl mustard or goldthioglucose 49

CAPILLARIES, pulmonary, site of leakage in pulmonary oedema due to monocrotaline pyrrole 235

CARBON-labelling technique to show site of leakage of fluid in α-naphthyl-thiourea-induced pulmonary oedema (venules)

PAGE

and in monocrotaline pyrrole-induced pulmonary oedema (capillaries) . 235
CARBON tetrachloride necroses in mouse liver, cold environment (10°C) leads to greater lipid accumulation in liver, more marked depletion of glycogen and increased ballooning of cells in midlobular parenchyma; resistance to repeated doses much less . . 155
CARRAGEENAN granuloma composed of homogeneous population of long-lived macrophages 37
CELL(S), abnormal, occasionally in normal testes; abnormal spermatids very common in experimental allergic orchitis in guinea-pigs . . . 229
death of myotubes in development of skeletal muscle 221
Kupffer, severe early damage in ngaione poisoning in mice 251
myoid, in foetal thymus, failure to demonstrate by immunofluorescence method before 26 weeks' gestation . . 45
pyramidal of hippocampus, granulovacuolar degeneration in . . . 165
CHLORPROMAZINE significantly reduces inflammatory changes in mouse brain induced by goldthioglucose . . 57
CLEARANCE, pulmonary, of inhaled charcoal particles faster in mature and bronchitic rats than in normal younger SPF rats. 81
COLD environment, effect on hepatic changes produced by carbon tetrachloride in mice 155
COLOSTRUM of sows may contain antitrypsin factor and thus prevent enzymatic destruction of *Clostridium welchii* type-C toxins in young piglets, and allow organism to grow in damaged tissue 65
CYTOTOXIC DRUGS inhibit increase in splenic and renal DNA and RNA and hepatic DNA that occurs in female NZB× NZW mice from 20 wk onwards, prevent appearance of serum antinuclear factor and greatly reduce proteinuria 127

DEGENERATION, granulovacuolar, of hippocampal pyramidal cells . . . 165
DEOXYRIBONUCLEIC ACID and ribonucleic acid in spleen, liver and kidney of female NZB×NZW mice: rise in splenic DNA and RNA at 20 wk, later renal RNA and DNA and hepatic DNA increase, all before appearance of proteinuria and serum antinuclear factor 127
DIABETES, intracellular lipid droplets in muscle biopsies in diabetic neuropathy 1
DIFFERENTIATION of foetal small-intestinal isografts under renal capsule very much as in normal development, except that mitotic rates and cell-passage of villus cells lower in grafts; homografts rapidly rejected 95
DYSTROPHIES, muscular, possibly states in which process of normal muscle death in foetal life is deranged, so that many muscle cells are imperfectly formed . 221

ELECTRON-MICROSCOPE STUDY(IES) of experimental allergic orchitis in guinea-pigs 229
of high- and low-turnover granulomata . 37
of infection of striated muscle by *Mycobacterium leprae* 73
of intracellular lipid droplets in muscle biopsies shows they are subsarcolemmal 1
of liver biopsies from adult Bantu with lobar pneumonia and jaundice . . 113
of lung in Niemann-Pick disease . . 119
of membranoproliferative glomerulonephritis shows electron-dense deposits in relation to the glomerular basement-membrane 151
of monocrotaline pyrrole-induced pulmonary oedema 235
of mouse liver after single dose of ngaione 251
of α-naphthyl-thiourea-induced pulmonary oedema in rats shows oedema due to direct damage to pulmonary capillary and venular endothelium, with formation of reversible gaps . 25
of progressive auto-immune nephropathy produced in Wistar rats by injection of human lung homogenate in Freund's complete adjuvant 271
of progressive membranous nephropathy in rabbits given an injection of rat anti-rabbit-kidney-mitochondrial serum during bovine serum albumin-induced proteinuria 261
of skeletal muscle development . . 221
ENDOTHELIUM, proliferation of endothelium of intracranial venous sinuses, with oedema and inflammatory reactions in venous wall in women dying of intracranial venous thrombosis while taking oral contraceptives . . 209
ENZYMES, alkaline phosphatase and adenosine triphosphatase activity in necrotic areas induced in mouse liver by carbon tetrachloride unaffected by cold environment (10°C) 155
lysosomal (amino-acid naphthylamidase, acid phosphatase and β-glucuronidase) in liver, lung and testis, increase in activity in induction phase of adjuvant-induced arthritis, decrease in later phase 201

PAGE

ENZYMES, oxidative, activity reduced in carbon tetrachloride-induced necroses in mouse liver, unaffected by cold environment (10°C) 155

FIBROBLAST in development of skeletal muscle 221
FLUKES, *Schistosoma haematobium* eggs in cystic teratoma of ovary 123
FLUORESCENT ANTIBODY TESTS for *Clostridium welchii* type C with specific fluorescein-labelled antiserum successful in frozen sections, not in paraffin sections, except occasionally by the indirect method 65
FOETUS, foetal mouse small intestine, " antigen-free " grafts of . . . 95
myoid cells not present in thymus of until 26 weeks' gestation 45
9–20 weeks' gestation, ultrastructure of normal skeletal muscle in . . 221
FREEZE-ETCH STUDY of intracellular lipid droplets in muscle biopsies shows granular, homogeneous and laminated forms 1
FUNGI, *Allescheria boydii* (sexual form of *Monosporium apiospermum*), disseminated infection to brain and thyroid from primary lung lesion . . . 195

GAMMA-GLOBULIN, rabbit, and complement deposited in glomerular basement-membrane in membranous nephropathy produced in rabbits by injection of rat anti-rabbit-mitochondrial serum during bovine serum albumin-induced proteinuria 261
rat, and complement deposited in glomerular basement-membrane in autoimmune nephropathy produced in rats by injection of human lung homogenate plus Freund's complete adjuvant 271
GLOMERULONEPHRITIS, membranoproliferative, histological, ultrastructural and immunofluorescence studies . . 151
GOLDTHIOGLUCOSE, early cerebral vascular lesion in mice given 49
-induced lesions in mouse brain reduced by salicylate, heparin, chlorpromazine, atropine, hydrocortisone, indomethacin and pyrogallol; tranylcypromine no effect; only salicylate and hydrocortisone reduce lesions due to bipiperidyl mustard 57
GRAFTS, " antigen-free ", of foetal mouse small intestine 95
GRANULOMATA, high- and low-turnover inflammatory, ultrastructure of . 37
GUINEA-PIG, experimental allergic orchitis in, ultrastructure of 229

PAGE

HEART of rats fed on ragwort showed right ventricular hypertrophy 187
HEPARIN significantly reduces inflammatory changes in mouse brain induced by goldthioglucose 57
HIPPOCAMPUS, granulovacuolar degeneration in pyramidal cells rare before 60 yr, above 60 yr commoner, above 80 yr 75 per cent. of persons positive; lesions mainly in Rose's areas h_1 and h_2; in non-demented old people rarely more than 9 per cent. of cells affected, in demented old with Alzheimer's disease 10–50 per cent. cells severely affected 165
HISTAMINE, intratracheal injection of in rats causes leakage from venules in trachea and bronchi, no effect on small pulmonary vessels 25
HYDROCORTISONE significantly reduces inflammatory changes in mouse brain induced by goldthioglucose or bipiperidyl mustard 57
HYPERPLASIA, nodular adrenocortical, possible sequel of segmental adrenal necrosis 133

IMMUNITY, immune mechanisms probably involved in membranoproliferative glomerulonephritis 151
IMMUNOFLUORESCENCE STUDY of membranoproliferative glomerulonephritis shows that deposits of gamma-globulin and complement occur in the glomerulus, occupying the same position as the electron-dense deposits seen associated with the glomerular basement-membrance by electron microscopy 151
IMMUNOFLUORESCENCE TECHNIQUE to demonstrate myoid cells in foetal thymus . 45
for studying attachment of *Clostridium welchii* type C to pig intestinal villi 65
INCLUSIONS, paracrystalline, in liver mitochondria in adult Bantu with lobar pneumonia and jaundice 113
INDOMETHACIN significantly reduces inflammatory changes in mouse brain induced by goldthioglucose or bipiperidyl mustard 57
INFANTS, perinatal, haemorrhagic necrosis of adrenal in 133
INTESTINE, pig, *Clostridium welchii* first attached to apices of jejunal villi, subsequently extend down into crypts and occasionally into submucosa with necrosis and detachment of mucosa; first attachment of enteropathogenic *Escherichia coli* to bases of ileal villi . 65

PAGE

IRON overload as iron dextran, with or without ethanol or carbon tetrachloride, leads in rhesus monkeys to marked siderosis in several organs, usually more marked in reticulo-endothelial than in parenchymal cells; deposits of iron in parenchymal cells greatest in animals given iron and ethanol, least in those given iron alone, in reticulo-endothelial cells greatest in animals given Fe alone, least in those given Fe and CCl_4 103
IRRADIATION, multiplication of *Mycobacterium leprae* greater and muscle damage and inflammatory changes more severe in thymectomised-irradiated than in normal mice . . 73
ISCHAEMIA due to foetal bradycardia probable cause of haemorrhagic necrosis of adrenal in perinatal infants . . 133
ISCHAEMIA of mouse arcuate area and hypothalamus follows increase in vascular permeability in this area after intraperitoneal goldthioglucose or bipiperidyl mustard . . . 49
ISO-IMMUNISATION, rhesus, association with adrenal necrosis in perinatal infants . 133

KIDNEY capsule, fate of isografts and homografts of foetal mouse small intestine under 95
production of membranous nephropathy in rabbits by injection of rat anti-rabbit-kidney-mitochondrial serum . 261

LIPID droplets, intracellular, in muscle biopsies; electron-microscope, histochemical and freeze-etch study; lipid is triglyceride, some possibly formed in sarcoplasmic reticulum . . . 1
LIPOCYTES in liver in lobar pneumonia with jaundice in adult Bantu . . . 113
LIVER biopsies from adult Bantu with lobar pneumonia and jaundice show dilatation of bile canaliculi with atrophy or disappearance of microvilli, deposition of hepatocellular bile pigment, evidence of toxic liver injury, paracrystalline inclusions in mitochondria and increased number of lipocytes . . 113
cell ergastoplasm, rapid new proliferation in some damaged liver cells 3 hr after poisoning with ngaione . . . 251
mouse, changes due to carbon tetrachloride, influence of cold environment 155
mouse, single dose of ngaione produces mid-zonal necrosis, dilatation of endoplasmic reticulum of hepatocytes and loss of Kupffer cells in 1 hr; lytic necrosis of many hepatocytes in 3–6 hr; mid-zonal coagulative necrosis confluent after 12 hr; then vigorous phagocytic activity by macrophages, with complete repair in 8–9 days . . 251
LUNG biopsy in Niemann-Pick disease, electron microscopy shows sphingomyelin lipidosis 119
homogenate of human, with Freund's complete adjuvant, injection into rabbits leads to progressive auto-immune nephropathy . . . 271
lobar pneumonia and jaundice in adult Bantu; liver biopsy suggests toxic injury 113
pulmonary hypertension in rats fed on diet containing 5 or 10 per cent. ragwort 187
pulmonary oedema in rats given monocrotaline pyrrole intravenously, pyrrole rapidly extracted by lungs, but oedema develops slowly, mainly by leakage of fluid from capillaries, and is unaffected by *p*-chlorophenylalanine treatment . 235
rat, mucus transport and carbon clearance in normal and bronchitic . . 81
LYSOSOMES, enzymes of in liver, lung and testis increase in activity in induction phase of parenchymal damage in adjuvant-induced arthritis, decrease in activity in later phase . . . 201

METABOLITE, active, of α-naphthyl-thiourea (ANTU) may be responsible for pulmonary oedema in animals given ANTU intraperitoneally . . . 25
MILLIPORE BOX, foetal mouse small-intestinal isografts in, implanted in peritoneal cavity, do not survive . 95
MONKEY, rhesus (*Macaca mulatta*), experimental siderosis and liver injury in . 103
MONOCROTALINE pyrrole, ultrastructure of pulmonary oedema due to . . 235
MOUSE(MICE), early cerebral vascular lesions after intraperitoneal bipiperidyl mustard or goldthioglucose . . 49
effect of cold environment on liver necroses produced by carbon tetrachloride 155
female NZB×NZW show increase in splenic DNA and RNA, then of renal DNA and RNA, then of hepatic DNA, all before development of proteinuria or serum antinuclear factor . . 127
foetal small-intestinal isografts and homografts, fate under renal capsule . 95
liver lesions after single dose of ngaione . 251
ultrastructure of high- and low-turnover granulomata in 37
MUCUS transport in tracheobronchial tree of normal and bronchitic rats . . 81

PAGE

MUSCLE biopsies from cases of neuromuscular disease and from controls, soluble lipid droplets, small (< mitochondrial diameter) common but scattered; large (≦ twice mitochondrial diameter) rare; if > 20 in cross-section muscle cell, regarded as excessive . 1
cremaster, of rat, permeability of small vessels of not increased by local injection of α-naphthyl-thiourea . 25
fibres, type-1-fibre lipidosis in steroid myopathy, alcoholic myopathy and in some cases of diabetic myopathy and myasthenia gravis; type-2-fibre lipidosis in one case each of spasticity, motor-neurone disease and severe myasthenia gravis; single-fibre lipidosis in many conditions, particularly in Duchenne dystrophy . . . 1
skeletal, development, with particular reference to muscle-cell death . . 221
striated, mouse, after infection with *Mycobacterium leprae* of foot-pad or by intravenous route, short-lived inflammatory response, then colonisation of striated muscle and slow growth with low-grade inflammation and patchy damage of muscle fibres; in thymectomised-irradiated mice greater multiplication in muscle, more widespread muscle damage and inflammation, not due to nerve involvement . 73
MYASTHENIA GRAVIS, intracellular lipid droplets in muscle biopsies in . . 1
MYOBLAST, presumptive and definitive, in development of skeletal muscle fibre . 221
MYOID CELLS in thymus not likely to be part of thymic "library" of autoantigens, as they do not appear till 26th wk of gestation, 13 wk after Hassall's corpuscles and 2 wk after foetus becomes capable of immunological response 45
MYOPATHY, steroid, alcoholic, some cases of diabetic neuropathy and myasthenia gravis, type-1-fibre lipidosis in; one case each of spasticity, motor-neurone disease and severe myasthenia gravis, type-2-fibre lipidosis in; single-fibre lipidosis in a variety of conditions, particularly Duchenne dystrophy . 1
MYOTUBE, polynucleated, first stage in development of skeletal muscle fibre . 221

α-NAPHTHYL-THIOUREA-induced pulmonary oedema in rats . . . 25
-induced pulmonary oedema, leakage from venules, in that due to monocrotaline pyrrole, from capillaries . 235
NECROSIS, haemorrhagic, of adrenal in perinatal infants 133

PAGE

NEPHROPATHY, progressive auto-immune, produced in Wistar rats given human lung homogenate in Freund's complete adjuvant: thickening and duplication of glomerular basement-membranes, which contain numerous subendothelial electron-dense deposits . . 271
progressive membranous produced in rabbits by injection of rat anti-rabbit-kidney-mitochondrial serum during bovine serum albumin-induced proteinuria; associated with proteinuria and linear deposition of rabbit gamma-globulin in irregularly thickened glomerular basement-membrane . 261
NGAIONE, sesquiterpene essential oil isolated from leaves of *Myoporum laetum* and *M. deserti*, effect of single dose of on mouse liver 251
NIEMANN-PICK DISEASE, electron-microscope study of lung biopsy in . . 119
NUCLEOLYSIS, auto-allergic, in monolayers of human peritoneal cells treated with homologous leucocytes, no relation to Australia antigen in donor's serum; further description of . . . 199

OEDEMA, pulmonary, α-naphthyl-thiourea-induced 25
pulmonary, in rats given monocrotaline pyrrole 235
ORCHITIS, experimental allergic in guinea-pigs, ultrastructure 229
OVARY, cystic teratoma containing schistosome ova 123

PATHOLOGY of intracranial venous thrombosis in women taking oral contraceptives (2 fatal cases): endothelial proliferation, oedema and inflammatory reactions of the venous wall, and oedema and degeneration of elastic structures in arteries of dura mater . 209
PROCEEDINGS OF THE SOCIETY . . . Pi
PULMONARY ARTERIES, muscular, of rats fed on ragwort, increase in medial thickness 187
PYROGALLOL significantly reduces inflammatory changes in mouse brain induced by goldthioglucose, has no effect on those induced by bipiperidyl mustard 57

RABBIT kidney, progressive membranous nephropathy induced by injection of rat anti-rabbit-kidney-mitochondrial serum during bovine serum-induced proteinuria 261
RADIO-ALBUMIN, ^{125}I-albumin used to demonstrate leakage of fluid in α-naphthyl-thiourea- and monocrotaline pyrrole-induced pulmonary oedema . 235

PAGE

RADIO-ALBUMIN permeability of vessels of rabbits and guinea-pigs to increased by intravenous injection of staphylococcus α-toxin; effect reduced by simultaneous injection of Antistine . 277
RAGWORT (*Senecio jacobaea*) added to diet produces changes in rat heart and muscular pulmonary arteries probably through inducing pulmonary hypertension 187
RAT(S) given monocrotaline pyrrole intravenously, pulmonary oedema in, compared with that due to α-naphthylthiourea or ammonium sulphate . 235
increase in lysosomal enzyme activity in liver, lung and testis in induction phase of parenchymal damage in adjuvant-induced arthritis, fall in activity in later phase 201
lung, mucus transport and carbon clearance in normal and bronchitic . 81
α-naphthyl-thiourea-induced pulmonary oedema in 25
RESISTANCE to carbon tetrachloride induced in mice by repeated doses of CCl_4 reduced by cold environment . 155
REVIEWS OF BOOKS—
Control processes in multicellular organisms (ed. by G. E. W. Wolstenholme and Julie Knight) 207
Methods in cell research (August Ruthmann) 207
Organization and management of hospital laboratories (A. P. Johnson) . 208
RIBONUCLEIC ACID and deoxyribonucleic acid in spleen, liver and kidney of female NZB×NZW mice; rise in splenic RNA and DNA at 20 wk, later renal RNA and DNA and hepatic DNA increase, all before appearance of proteinuria and serum antinuclear factor 127

SALICYLATE significantly reduces inflammatory changes in mouse brain induced by goldthioglucose, no effect on those due to bipiperidyl mustard . . 57
SCHISTOSOMIASIS in cystic teratoma of ovary 123
SIDEROSIS, experimental, in rhesus monkey; does not lead to hepatic fibrosis, or affect responses to ethanol or carbon tetrachloride; no cytotoxic effect . 103
SPERMATIDS, late, in experimental allergic orchitis in guinea-pigs, progressive interference with accumulation of material to form acrosome, with failure of further maturation of cell; no other cells involved 229
SPHINGOMYELIN lipidosis, demonstration by electron microscopy in lung in Niemann-Pick disease 119
STAPHYLOCOCCUS alpha-toxin, intravenous injection into rabbits and guinea-pigs increases vascular permeability to ^{131}I-albumin in organs; this effect reversed by simultaneous injection of Antistine 277
STEROID myopathy, intracellular lipid droplets in muscle biopsies in . . 1
STUNTING of perinatal infants, association of adrenal necrosis with . . . 133

THROMBOSIS, intracranial venous, associated with use of oral contraceptives, possibly recurrent 209
THYMUS, multiplication of *Mycobacterium leprae* greater and muscle damage and inflammatory changes more severe in thymectomised-irradiated than in normal mice 73
myoid cells not present till 26th wk gestation 45
THYROID lesion from dissemination of fungus *Allescheria boydii* from primary lesion in lung 195
TOXIN, staphylococcus alpha-, purified, injection of intravenously into rabbits and guinea-pigs increases vascular permeability to ^{131}I-albumin in organs; this effect reversed by simultaneous injection of histamine antagonist Antistine 277
TRANSPORT of mucus, as flakes, droplets and plaques from preterminal bronchioles to trachea; no mucus blanket in normal or bronchitic rats. Bronchitic rats have hypersecretion of mucus, sometimes with higher transport velocity; but always areas of abnormal ciliary movement where transport slowed . 81
TRANYLCYPROMINE has no effect on inflammatory changes in mouse brain induced by goldthioglucose . . 57
TUMOURS, HUMAN, benign cystic teratoma of ovary, containing calcified eggs of *Schistosoma haematobium* . . 123

VASCULAR PERMEABILITY increased in mouse arcuate nucleus and hypothalamus not in ventro-median nucleus after intraperitoneal bipiperidyl mustard or goldthioglucose, soon followed by ischaemia 49
of lung vessels, mainly capillaries, increased by intraperitoneal injection of α-naphthyl-thiourea; other capillaries not affected 25
VEINS, and venous sinuses, intracranial, thrombosis in women taking oral contraceptives 209

INDEX OF AUTHORS

PAGE

ADAM, S. E. I., and THORPE, E., influence of cold environment on hepatic changes produced by repeated doses of carbon tetrachloride 155

ARBUCKLE, J. B. R., the attachment of *Clostridium welchii* (*Cl. perfringens*) type C to intestinal villi of pigs . 65

BARABAS, A. Z., and NAGI, A. H., induction of a progressive nephropathy in rats by injections of human lung extract in Freund's complete adjuvant . 271

BARABAS, A. Z., NAGI, A. H., and LANNIGAN, R., production of membranous nephropathy in rabbits . . . 261

BERTONI, F., VELO, G. P., CAPELLI, A., and MARTINELLI, G., lysosomes as mediators of parencyhmal lesions in adjuvant-induced arthritis in rats . 201

BILLINGHAM, MARGARET E., and FORNO, LYSIA S., *Allescheria boydii* infection of the brain 195

BROWN, PATRICIA C., DORLING, J., and GLYNN, L. E., ultrastructural changes in experimental allergic orchitis in guinea-pigs 229

BURNS, J., the heart and pulmonary arteries in rats fed on *Senecio jacobaea*. . 187

CAFFYN, ZANDRA E. Y., early vascular changes in the brain of the mouse after injections of goldthioglucose and bipiperidyl mustard 49

CAFFYN, ZANDRA E. Y., the inhibition of goldthioglucose and bipiperidyl mustard-induced hypothalamic lesions by anti-inflammatory agents . . 57

CAPELLI, A., VELO, G. P., BERTONI, F., and MARTINELLI, G., lysosomes as mediators of parenchymal lesions in adjuvant-induced arthritis in rats . . . 201

CUNNINGHAM, A. L., and HURLEY, J. V., alpha-naphthyl-thiourea-induced pulmonary oedema in the rat: a topographical and electron-microscope study 25

DESA, D. J., and NICHOLLS, SHEILA, haemorrhagic necrosis of the adrenal gland in perinatal infants: a clinicopathological study 133

DORLING, J., BROWN, PATRICIA C., and GLYNN, L. E., ultrastructural changes in experimental allergic orchitis in guinea-pigs 229

ESIRI, MARGARET M., WEDDELL, A. G. M., and REES, R. J. W., infection of murine striated muscle with *Mycobacterium leprae*: a study by light and electron microscopy . . 73

FERGUSON, ANNE, and PARROTT, DELPHINE M. V., growth and development of "antigen-free" grafts of foetal mouse intestine 95

FORNO, LYSIA S., and BILLINGHAM, MARGARET E., *Allescheria boydii* infection of the brain 195

GABRIEL, R., nucleic acids in the spleen, kidney and liver of the female (NZB × NZW) F1 hybrid mouse . 127

GLYNN, L. E., BROWN, PATRICIA C., and DORLING, J., ultrastructural changes in experimental allergic orchitis in guinea-pigs 229

HARRIMAN, D. G. F., and REED, R., the incidence of lipid droplets in human skeletal muscle in neuromuscular disorders: a histochemical, electron-microscopic and freeze-etch study . 1

HAYWARD, A. R., myoid cells in the human foetal thymus 45

HURLEY, J. V., and CUNNINGHAM, A. L., alpha-naphthyl-thiourea-induced pulmonary oedema in the rat: a topographical and electron-microscope study 25

IRAVANI, J., and VAN AS, A., mucus transport in the tracheobronchial tree of normal and bronchitic rats . . 81

JELJASZEWICZ, J., SZMIGIELSKI, S., KWARECKI, K., and ZAK, C., increased vascular permeability induced by staphylococcal alpha-toxin . . 277

KITCHENER, DOROTHY, and TOMLINSON, B. E., granulovacuolar degeneration of hippocampal pyramidal cells . 165

PAGE

KWARECKI, K., SZMIGIELSKI, S., JELJASZEWICZ, J., and ZAK, C., increased vascular permeability induced by staphylococcal alpha-toxin . . 277

LANNIGAN, R., NAGI, A. H., and BARABAS, A. Z., production of membranous nephropathy in rabbits . . . 261

MARTINELLI, G., VELO, G. P., BERTONI, F., and CAPELLI, A., lysosomes as mediators of parenchymal lesions in adjuvant-induced arthritis in rats . . . 201

MEKEL, R. C. P. M., THERON, J. J., and PEPLER, W. J., ultrastructure of the liver in Bantu patients with pneumonia and jaundice 113

NAGI, A. H., histological, ultrastructural and immunofluorescence studies in membranoproliferative glomerulonephritis 151

NAGI, A. H., and BARABAS, A. Z., induction of a progressive nephropathy in rats by injections of human lung extract in Freund's complete adjuvant . . 271

NAGI, A. H., BARABAS, A. Z., and LANNIGAN, R., production of membranous nephropathy in rabbits . . . 261

NATH, INDIRA, SOOD, S. K., and NAYAK, N. C., experimental siderosis and liver injury in the rhesus monkey . 103

NAYAK, N. C., NATH, INDIRA, and SOOD, S. K., experimental siderosis and liver injury in the rhesus monkey . . 103

NICHOLLS, SHEILA, and DESA, D. J., haemorrhagic necrosis of the adrenal gland in perinatal infants: a clinicopathological study 133

O'DONAHOO, ROBYN M., and SEAWRIGHT, A. A., light- and electron-microscope observations of the liver of the mouse after a single oral dose of ngaione . 251

PAPADIMITRIOU, J. M., and SPECTOR, W. G., the ultrastructure of high- and low-turnover inflammatory granulomata . 37

PARADINAS, F. J., schistosomiasis in a cystic teratoma of the ovary . . . 123

PARROTT, DELPHINE M. V., and FERGUSON, ANNE, growth and development of " antigen-free " grafts of foetal mouse intestine 95

PEPLER, W. J., THERON, J. J., and MEKEL, R. C. P. M., ultrastructure of the liver in Bantu patients with pneumonia and jaundice 113

PLEŠTINA, R., and STONER, H. B., pulmonary oedema in rats given monocrotaline pyrrole 235

PAGE

POLTERA, A. A., the pathology of intracranial venous thrombosis in oral contraception 209

PRINSLOO, I., SKIKNE, M. I., and WEBSTER, I., electron microscopy of lung in Niemann-Pick disease . . . 119

REED, R., and HARRIMAN, D. G. F., the incidence of lipid droplets in human skeletal muscle in neuromuscular disorders: a histochemical, electron-microscopic and freeze-etch study . 1

REES, R. J. W., ESIRI, MARGARET M., and WEDDELL, A. G. M., infection of murine striated muscle with *Mycobacterium leprae*: a study by light and electron microscopy . . . 73

SEAWRIGHT, A. A., and O'DONAHOO, ROBYN M., light- and electron-microscope observations of the liver of the mouse after a single oral dose of ngaione 251

SKIKNE, M. I., PRINSLOO, I., and WEBSTER, I., electron microscopy of lung in Niemann-Pick disease . . . 119

SOOD, S. K., NATH, INDIRA, and NAYAK, N. C., experimental siderosis and liver injury in the rhesus monkey . . 103

SPECTOR, W. G., and PAPADIMITRIOU, J. M., the ultrastructure of high- and low-turnover inflammatory granulomata . 37

STONER, H. B., and PLEŠTINA, R., pulmonary oedema in rats given monocrotaline pyrrole 235

STUART, A. E., auto-allergic nucleolysis . 199

SZMIGIELSKI, S., KWARECKI, K., JELJASZEWICZ, J., and ZAK, C., increased vascular permeability induced by staphylococcal alpha-toxin . . 277

THERON, J. J., PEPLER, W. J., and MEKEL, R. C. P. M., ultrastructure of the liver in Bantu patients with pneumonia and jaundice 113

THORPE, E., and ADAM, S. E. I., influence of cold environment on hepatic changes produced by repeated doses of carbon tetrachloride . . . 155

TOMLINSON, B. E., and KITCHENER, DOROTHY, granulovacuolar degeneration of hippocampal pyramidal cells . 165

VAN AS, A., and IRAVANI, J., mucus transport in the tracheobronchial tree of normal and bronchitic rats . . 81

VELO, G. P., BERTONI, F., CAPELLI, A., and MARTINELLI, G., lysosomes as mediators of parenchymal lesions in adjuvant-induced arthritis in rats . 201

PAGE

WEBB, J. N., the development of human skeletal muscle with particular reference to muscle cell death . . 221

WEBSTER, I., SKIKNE, M. I., and PRINSLOO, I., electron microscopy of lung in Niemann-Pick disease . . . 119

WEDDELL, A. G. M., ESIRI, MARGARET M., and REES, R. J. W., infection of murine striated muscle with *Mycobacterium leprae*: a study by light and electron microscopy . . . 73

ZAK, C., SZMIGIELSKI, S., KWARECKI, K., and JELJASZEWICZ, J., increased vascular permeability induced by staphylococcal alpha-toxin . . 277